



Certificate of Analysis

Nviro Business Hub unit 6, Ou Wapad road, Ifafi, Hartbeespoort, 0260 | Tel: 012 252 7588 | www.nviroteklabs.co.za

Datum Ontvang/Date Received: 2026-02-11

Verslag nr./Report no.: WO 195005:248615

Datum Begin/Date Commenced: 2026-02-11

Datum Gerapporteer/Date Reported: 2026-02-19

To/Aan:	NJATI HOLDINGS (PTY) LTD						Representative/Verteenwoordiger:		A VAN DER MERWE	
	27796605761, 2771122						Farm Name/Plaas Naam:			
	P.O. BOX 1436 FONTAINEBLEAU RANDBURG SOUTH AFRICA 2032						Order/Bestel#:		Anna Du Plessis	
							Email:		info@njatiholdings.co.za	

Lab Nommer	Sample Reference	Ca (Total)	Mg (Total)	CCE (HCl) *	S (Total)	CaSO ₄ .2H ₂ O *	<1.7 mm Sieve *	<1.0 mm Sieve *	<0.25 mm Sieve *	<0.106 mm Sieve *
Lab Number	Monsterverwysing	%	%	%CaCO ₃	%	%	%	%	%	%
A26-1037	Springs Dol/Gyp (2)/Feb2026	19.90	8.99	70.75	4.95	26.59	99.62	74.94	48.91	41.33

NOTAS / NOTES:

Resultate goedgekeur deur / Results approved by:

Elfriede Keyser

elfriede.k@nvirotek.co.za

Technical Signatory



Certificate of Analysis

Nviro Business Hub unit 6, Ou Wapad road, Ifafi, Hartbeespoort, 0260 | Tel: 012 252 7588 | www.nviroteklabs.co.za

BELANGRIK / IMPORTANT

- * Results marked with * in this report are not included in the Schedule of Accreditation for this laboratory.
 - ** Results marked with ** are Subcontracted Tests and are not included in the Schedule of Accreditation for this laboratory.
- Where a result is reported as less than (<) a value, the result obtained is below the limit of quantification for the specific analyte.
- < For Mycotoxins and Trihalomethanes: if results are less than the working range determined in the validation for each analyte and matrix, the results shall be reported as less than (<) the lower limit of the working range obtained.

1. This test report shall not be reproduced except in full, without written approval of the laboratory. These results are only applicable to the tests performed on the sample as received.
2. Results will be reported electronically in a PDF format. The Laboratory will not be responsible for any unauthorised changes made to results after the report was issued.
3. Uncertainties of Measurement, Limits of Detection and Method Descriptions will be provided upon request.
4. Decision Rule: Results reflecting on Test Reports are the actual results as obtained at the time of testing, and do not include any uncertainty considerations. NviroTek does not issue any statements of conformity, unless by prior arrangement.
5. Any opinions and interpretations expressed herein are outside the scope of accreditation for the laboratory.

Test	Method	Test	Method
Ca (Total)	WIN 009	Less than 1.7 mm Sieve*	WIN 091
Mg (Total)	WIN 009	Less than 1.0 mm Sieve*	WIN 091
CCE (HCl)/KKE (HCl)*	WIN 037	Less than 0.25 mm Sieve*	WIN 091
S (Total)	WIN 009	Less than 0.106 mm Sieve*	WIN 091
CaSO4.2H2O*	Calculation		

End of Report